

**To:** Albright, David[Albright.David@epa.gov]  
**Cc:** Anna Weber[Anna.Weber@cadmusgroup.com]; Shari.Ring@cadmusgroup.com[Shari.Ring@cadmusgroup.com]; McWhirter, Lisa[McWhirter.Lisa@epa.gov]  
**From:** Dermer, Michele  
**Sent:** Tue 4/12/2016 10:25:16 PM  
**Subject:** RE: AG letter latest draft - this includes Cadmus input/review == with attachment  
Arroyo Grande AE Info Request Enclosure(DA.MD.Cadmus).docx

With attachment

**From:** Dermer, Michele  
**Sent:** Tuesday, April 12, 2016 3:24 PM  
**To:** Albright, David <Albright.David@epa.gov>  
**Cc:** Anna Weber <Anna.Weber@cadmusgroup.com>; Shari.Ring@cadmusgroup.com; McWhirter, Lisa <McWhirter.Lisa@epa.gov>  
**Subject:** AG letter latest draft - this includes Cadmus input/review

Hi David,

I have heard back from Cadmus this afternoon, rather than in the morning which is very much appreciated.

All the questions are answered and Anna made a few helpful edits. Please have a look through all this. Because of the fact that I am out tomorrow morning, you may have to give this to Mike in this condition because I will not be able to clean it up in the morning after you've reviewed it. Cadmus stayed away from our debate on institutional controls.

Michele Dermer

Drinking Water Protection Section

EPA Region 9

(415) 972-3417

[Dermer.michele@epa.gov](mailto:Dermer.michele@epa.gov)

